




MOTAZAPPATRICI PROFESSIONALI


PROFESSIONAL MOTOR HOE


 **K21-K31-K41-K61** Motozappe monomarcia; trasmissione con ingranaggi a bagno d'olio, frizione conica a secco, filtro aria 2T a bagno d'olio, 4T a secco, stegole di guida registrabili ed orientabili, completa di fresa e motorstop.

 **K21-K31-K41-K61** Motor-hoe Single-gear rotary tiller; transmission with oil bath gears, dry conical clutch, 2-stroke oil bath air filter, 4-stroke dry air filter, height-adjustable, moveable handlebars, complete off rotary tiller and motorstop.



MODELLO Model	MOTORE MARCA E TIPO Engine make and type	ALIMENTAZIONE feeding	FRESA Rotary tiller	PESO Kg Weight Kg	€
K21	REX CM46	Miscela - mixture	4 x 4 x Ø230 x 400mm	31	813,10
K31	REX CM80	Miscela - mixture	6 x 4 x Ø230 x 600mm	36	843,40
K31	HONDA GCV135	Benzina - gasoline		38	903,51
K41	CM100	Miscela - mixture	8 x 4 x Ø300 x 810mm	44	883,78
K61	RAMNAY OHV170V (over head valves)	Benzina - gasoline		44	882,75

 **K 51-K 71** Motozappe monomarcia; trasmissione con ingranaggi a bagno d'olio, frizione conica a secco, filtro aria a bagno d'olio, stegole di guida registrabili ed orientabili, completa di motorstop e fresa.

 **K51-K71** Motor-hoe Single-gear rotary tiller, transmission with oil bath gears, dry conical clutch, 2-stroke oil bath air filter, 4-stroke dry air filter, height-adjustable, moveable handlebars, complete of rotary tiller and motorstop.





MODELLO Model	MOTORE MARCA E TIPO Engine make and type	ALIMENTAZIONE feeding	FRESA Rotary tiller	PESO Kg Weight Kg	€
K51	HP5 CM100	Miscela -mixture	8 x 4 x Ø320 x 980mm	62	954,16
K71	HP7 CM150	Miscela -mixture		70	1034,22
K71	HONDA GCV160	Benzina - gasoline		60	1054,05
K71	RAMNAY OHV170V (over head valves)	Benzina - gasoline		66	1023,12



MOTAZAPPATRICI PROFESSIONALI

PROFESSIONAL MOTOR-HOE

 **K53 - K83** Motozappe a due velocità avanti più retromarcia; trasmissione, filtro aria e frizione conica a bagno d'olio, stegole di guida registrabili ed orientabili, una presa di forza, completa di motorstop e fresa.

 **K53 - K83** Motor-hoe two speed forward and reverse rotary tiller; transmission, oil bath conical clutch and air filter, height-adjustable and moveable handlebars, power take-off 16UNI221 at 3600 revs/min., complete of motorstop and rotary tiller.

K53 - K83
BENZINA - GASOLINE



HONDA
POWER EQUIPMENT

LOMBARDINI
A KOHLER COMPANY

RAMNAY


YANMAR

K53 - K83
DIESEL



MODELLO* Model	MOTORE MARCA E TIPO Engine make and type	ALIMENTAZIONE feeding	FRESA Rotary tiller	PESO Kg Weight Kg
K53	RAMNAY F220A	diesel	8x4xø320x980mm	83
K53E	RAMNAY F220AE (con avviamento elettrico) / electric start	diesel		88
K53	LOMBARDINI 15LD225	diesel		84
K53	LOMBARDINI 15LD315	diesel		112
K53	RAMNAY OHV165 (over head valves)	Benzina - gasoline		75
K53	HONDA GC160	Benzina - gasoline		73
K53	LOMBARDINI LGA226	Benzina - gasoline		79
K83	RAMNAY F310A	diesel		8x4xø350x1120mm
K83E	RAMNAY F310AE (con avviamento elettrico) / electric start	diesel	114	
K83	LOMBARDINI 15LD350	diesel	112	
K83	LOMBARDINI 6LD360	diesel	115	
K83	RAMNAY OHV205 (over head valves)	Benzina - gasoline	85	
K83	RAMNAY OHV245 (over head valves)	Benzina - gasoline	94	

* VERSIONE "B" STEGOLA A FORBICE E FRESA CON ASSE PASSANTE Version "B" handlebar as scissors and axis rotary tiller passing

 *Corpo superiore in alluminio pressofuso e corpo inferiore in ghisa che ospita un sistema di tenuta ottimale, poiché la chiusura inferiore è composta da due coppette (dalla K51 alla K94):*

- *La prima (fissa) serve da parapolvere*
- *La seconda (girevole) è all'esterno e svolge la funzione di taglia erba.*

 *Aluminium upper body and lower in cast iron a system of tight seal as the closure is made less two cups (from K51 to K94):*

- *The first (fixed) serves as a dust*
- *The second (wheel) is out and acts as a mower.*





MOTAZAPPATRICI PROFESSIONALI

PROFESSIONAL MOTOR-HOE

K54 – K94 Motozappe a tre velocità avanti più retromarcia; trasmissione filtro aria e frizione conica a bagno d'olio, stegole di guida registrabili ed orientabili, due prese di forza, completa di motorstop e fresa

K54 – K94 Motor-hoe three speed forward and reverse rotary tiller; transmission, oil bath conical clutch and air filter, height-adjustable and moveable handlebars, two power take-offs (upper) 13UNI221 at 3600 revs/min. (lower) 16UNI221 synchronised, complete of motorstop and rotary tiller.



B54

RAMNAY

LOMBARDINI
A KOHLER COMPANY

YANMAR



K94 6LD400

MODELLO* Model	MOTORE MARCA E TIPO Engine make and type	ALIMENTAZIONE feeding	FRESA Rotary tiller	PESO Kg Weight Kg
K54	RAMNAY F310A	diesel	8x4xØ350x1120mm	120
K54E	RAMNAY F310AE (avviamento elettrico) / electric starter	diesel		125
K54	LOMBARDINI 15LD315	diesel		119
K54	RAMNAY OHV205 (over head valves)	Benzina - gasoline		98
K54	RAMNAY OHV245 (over head valves)	Benzina - gasoline		109
K94	RAMNAY OHV275 (over head valves)	Benzina - gasoline	8x4xØ350x1140mm	101
K94	RAMNAY F420A	diesel		125
K94	RAMNAY F440A	diesel		128
K94E	RAMNAY F420AE (avviamento elettrico) / electric starter	diesel		130
K94	LOMBARDINI 15LD350	diesel		120
K94	LOMBARDINI 15LD400	diesel		132
K94	LOMBARDINI 6LD360	diesel		131
K94	LOMBARDINI 6LD400	diesel		132
K94	LOMBARDINI 6LD435	diesel		133

K84 – K14 Motozappa serie pesante a tre velocità avanti + retromarcia.

K84 – K14 Motor-hoe big version with three speed forward and reverse.

MODELLO* Model	MOTORE MARCA E TIPO Engine make and type	ALIMENTAZIONE feeding	FRESA Rotary tiller	PESO Kg Weight Kg
K84	LOMBARDINI 6LD360	diesel	8x4xØ350x1140mm	130
K84	LOMBARDINI 6LD400	diesel		130
K84	LOMBARDINI 6LD435	diesel		130
K14	RAMNAY F420A	diesel	8x4xØ350x1150mm	135
K14	RAMNAY F440A	diesel		135

* VERSIONE "B" STEGOLA A FORBICE E FRESA CON ASSE PASSANTE Version "B" handlebar as scissors and axis rotary tiller passing